

PRODUCT BASICS METZNER AM 1000 RANGE

Machines for Cable Cutting and Stripping

Description			Part No.	Price in €
1. Machine Metzner AM 1000	AM 1000	Automatic cable assembly machine for cutting and stripping cables, strands and wires up to 10 mm diameter and 6 mm² cable cross section (optional 10mm²; depending on material). Basic equipment: PC 12" touch screen (can be folded away) PLC incl. digital input and digital output, safety card (for emergency stop), analog output 1x 24V power supply 2x 48V power supply Switch Network connection Connections for external devices: Sag control (4-point DHS, connection to 12-pin socket) 1x external device (connection to 23 pin socket, without power supply) Compressed air connection Quick-change system for guides and feed rollers 230-06899 V-knife set (AM1000) 230-06680 Maintenance unit	125-01068	12.200,00



Description 2. Packages			Part No.	Price in €
2.1. Starter-Kit		only in combination with the machine; ble separately; not customizable)		
COA	Starter-Kit	 Includes: 1x 313-12397 Guide bush Ø2 "A" inlet 1x 203-05018 Guide tube Ø2 1x 313-12221 Guide bushing Ø2 "C" outlet 1x 313-12395 Guide bushing Ø4 "A" inlet 1x 203-05020 Guide tube Ø4 1x 313-12222 Guide bushing Ø4 "C" outlet 1x 313-12394 Guide bushing Ø6 "A" inlet 1x 203-05022 Guide tube Ø6 1x 313-12197 Guide bushing Ø6 "C" outlet 1x 203-04748 Drive roller set plasma coated 1x 500-01782 Case for storage of the parts 	208-10942	992,00

2.2. Connection Packa	age			
X,561 X, 2614 X, 5111 Con	nnection Set	 Includes: 001-0610.1 EMERGENCY STOP Connection 001-0610.1-Stecker Plug for EMERGENCY OFF Connection 001-0610.2-Stecker Plug for Loop Control 001-0610.5-Stecker External devices 23pin (Plug for X-Ext. 1) Plug for X-Ext. 1 001-0610.3 Connection for Encoder + Print Go for printer (X-Pri 1) 7pol. + LAN Printer Connection 001-0610.6 Ext. 230V socket C13 (X-Ext 2 + E-Ext 3) for feeder/stacker/cable ring winder 001-0610.10 Connection for Feeder / ring winder (Addition to be able to connect an encoder at the outlet) 230-06679 Encoder on the outfeed side (For RAMA devices or cable ring winders) 	001-0610.101	990,00



Description	:		Part No.	Price in €
2.3. AM 1000 Print 2.4. AM 1000 Print	Printer Package for 1 Printer black non- pigmented	 Includes: 1x Ink-Jet 03 Up inkjet printer, for non-pigmented ink Integration in Metzner processing machine Head ventilation, as protection against heat and dust Mounting device for ink jet head Cleaning set 001-0610.3 Rotary encoder connection for printer (X-Pri 1) 7pol. + LAN 001-0610.3-JET3-2M Cable 2 meters + incl. both connectors Length measuring unit Underframe with straightening station and backstop Cleaning station mounted at underframe Training inkjet printer in the house of the company Metzner, for max. 3 persons and as part of the pre-acceptance. (The training does not include accommodation costs) Suitable ink and solvent must be selected separately from the enclosed list and is not included in this position 	230-08099	25.200,00
Reserved Services of the servi	Printer Package for 1 Printer white / colored pigmented	Includes: 1x Ink-Jet 03 Up inkjet printer, for pigmented ink Integration in Metzner processing machine Head ventilation, as protection against heat and dust Mounting device for ink jet head Cleaning set 001-0610.3 Rotary encoder for printer (X-Pri 1) 7pol. + LAN 001-0610.3-JET3-2M Cable 2 meters + incl. both connectors Length measuring unit Underframe with straightening station and backstop Cleaning station in underframe Training inkjet printer in the house of the company Metzner, for max. 3 persons and as part of the pre-acceptance. (The training does not include accommodation costs) Suitable ink and solvent must be selected separately from the enclosed list and is not included in this position	230-08098	26.100,00



Description			Part No.	Price in €
2.5. AM 1000 Print	ing with 2 pr	inters		
Company Compan	Printer Package for 2 Printer 1x pigmented & 1x non-pigmnted	 Includes: 1x Ink-Jet 03 Up inkjet printer, for non-pigmented ink 1x Ink-Jet 03 Up inkjet printer, for pigmented ink Integration in Metzner processing machine Head ventilation, as protection against heat and dust Mounting device for ink jet head Cleaning set 001-0610.3 Rotary encoder for printer (X-Pri 1) 7pol. + LAN 001-0610.31 Rotary encoder for printer (X-Pri 2) 7pol. + LAN 001-0610.3-JET3-2M Cable 2 meters + incl. both connectors 2x Length measuring unit Underframe with straightening station and backstop Cleaning station in underframe Training inkjet printer in the house of the company Metzner, for max. 3 persons and as part of the pre-acceptance. (The training does not include accommodation costs) Suitable ink and solvent must be selected separately from the enclosed list and is not included in this position 	230-08100	45.200,00
2.6. Wear parts set				
	Wear parts set	 Includes: 1x 230-06899 V-blade set (AM1000) 2x 318-05629 bevel gear M1.5 15Z 2x 318-05524 Bevel gear machined M1,5 30Z 1x 327-00888 Filter for fan 80x80 Drive rollers; choose from the following sets: 1x 203-04744 Drive roller set, steel knurled fine 1x 203-04745 Drive roller set, coarse knurled steel 1x 203-04746 Drive roller set, rubber PUR bl ShA 80 1x 203-04747 Drive roller set, elastomer grey ShA 70 1x 203-04748 Drive roller set plasma-coated 	230-06895	2.074,00



Description			Part No.	Price in €
3. Single Parts 3.1. Drive roller se	ets (4 rollers ₁	per set)		
		4x steel knurled fine	203-04744	440,00
	Drive roller set	4x steel knurled rough	203-04745	440,00
	Drive roller set	4x rubber PUR black ShA 80	203-04746	440,00
	Drive roller set	4x rubber elastomer grey ShA 70	203-04747	440,00
	Drive roller set	4x plasma-coated	203-04748	440,00
3.2. Inlet-Guides			·	
J.Z. Illiet-dulues	Inlet guide	Inlet guides, material: brass (MS58) diameters: Ø 2 mm Ø 4 mm Ø 6 mm Ø 8 mm Ø 10 mm	313-12397 313-12395 313-12394 313-12387	128,00
3.3. Outlet-Guides	5			
COA	Outlet guide	Outlet guides, material: brass (MS58) diameters: Ø 2 mm Ø 4 mm Ø 6 mm Ø 8 mm Ø 10 mm	313-12221 313-12222 313-12197 313-12223 313-12127	145,00



Description			Part No.	Price in €
3.4. Swivel Tubes				
		Swivel tubes, material: stainless steel (1.4301)		
		diameters:		
		Ø 1mm	203-05017	
		Ø 2 mm	203-05018	
	Swivel tube	Ø 3 mm	203-05019	135,00
		Ø 4 mm	203-05020	
	į.	Ø 5 mm	203-05021	
	<u> </u>	Ø 6 mm	203-05022	
		Ø 8 mm	203-05023	
		Ø 10 mm	203-05024	

3.5. Knife sets				
	V-Blade-Set	Includes: • 2 V-blades Material: tool steel Angle: 90°	230-06899	292,00
	Radius-V-Blade- Set	Includes: • R=0,5 mm • R=1 mm • R=1,5 mm • R=2 mm • R=2,5 mm • R=3 mm	203-05559 203-05560 203-05561 203-05562 203-05563 203-05564	352,00
	Solid Wire Knife Set	Includes: • 2 solid wire knives Material: high alloy tool steel Angle: 90°	203-05079	362,00
328-04-72	Flat Belt Knife Set	Includes: • 2 flat belt knives Material: tool steel	230-07251	345,00



Description 4. Options			Part No.	Price in €
4. Options 4.1. Prodcution tak	<u></u>			
4.1. Floucation tal		Production Table for mounting the AM1000 with one drawer	200-03465	1.793,00
4.2. Length Measu	ring System			
	Length measuring system	 • Rotary Encoder • 2 drive rollers, plasma coated • Mechanical and electrical integration • Software Module 	230-06647	2.190,00
4.3. Straightener				
	Straightener	Includes:2 pairs of rollers, centrically adjustable(not in combination with length measuring system!)	230-06684	1.200,00
4.4. Engados Outlo	t Cido /for Di	an Window Stockov		
4.4. Encoder Outle	t Side (for Kil	ng Winder, Stacker)		
	encoder outlet side	for ring winder, stacker Integrated in Metzner AM 1000 to control the synchronisation of the following peripherals	230-06679	576,00
4.6. Conversion kit	flat belt			
B	Conversion kit flat belt	 1x Guide tube for flat belt width 10mm 1x 230-07251 Flat belt knife set (AM1000) 1x Guide bush "C" flat belt 10mm 	208-09558	Cable dependent
4.7. Base Frame				
The page France	Base Frame	Base frame made of anodized aluminum profile for mounting the AM38X0 and peripheral devices. Price per meter	200-01798	791,00



Description			Part No.	Price in €
5. Connections				
5.1. Emergency St	op Function	or External Devices		
	Emergency stop function for external devices	Includes: • Integration of the emergency stop from the upstream/downstream switching device in the emergency stop cycle of AM1000	001-0610.1	480,00
	Option ext. emergency stop	• Connector for integrating the emergency stop from the ballast/switchgear into the emergency stop cycle of the AM1000.	001-0610.1- Stecker	481,00

5.2. Analogue Loop C	Control			
ana	erface for alogue loop ntrol	 Includes: Electrical and software integration (Connector socket 12-pin available as standard; conversion kit from 10-pin to 12-pin: 001-0610.8) Must only be ordered if the DHS is connected directly to the Metzner AM1000. If the DHS is connected to a feeder, the position is not necessary. 	001-0610.2	437,00
ana	erface for alogue loop ntrol	Includes:Connector plug 12 pin	001-0610.2- Stecker	81,00

5.3. Encoder			
Printer Connection	Connection encoder for the first printers/HPG	001-0610.3	425,00
Printer Connection	Connection encoder for the second printers/HPG	001-0610.31	425,00



Description			Part No.	Price in €
5.4. Connection for	r External De	vices		
	Option ext. Devices	 Includes: Mechanical and electrical integration for connecting e.g. feeding device, material stacker, ring winder Software technical preparation Attention: order 1x if only one external (optional) device is to be connected; order 2x if two external (optional) devices are to be connected 	001-0610.5	202,00
	Option ext. Devices	 Connectors for mechanical and electrical integration to connect e.g. feeder, material dispenser, ring winder. Attention: order 1x if only one external (optional) device is to be connected; order 2x if two external (optional) devices are to be connected 	001-0610.5- Stecker	81,00
	Option ext. Devices	Includes:Connector for mechanical and electrical integration for connecting the dispensers of the company AAT Aston.	001-0610.5- ABL.AAT	432,00
	Option ext. Devices	Includes:Connector for mechanical and electrical integration for connecting the dispensers of Ulmer Company.	001-0610.5- ABL.ULME	432,00
	Option ext. 230 V	 Includes: Mechanical and electrical integration for the power supply of max. 2 devices, e.g. feeder, material stacker, ring winder Software preparation Attention: Order 1x if only one external device is to be supplied with voltage; order 2x if two external devices are to be supplied with voltage Attention: order 1x if only one external device is to be supplied with power; order 2x if two external devices are to be supplied with power 	001-0610.6	202,00
	Option ZFG 12/19pol Adapter	 Includes: Connector from 12 pin to 19 pin Must always be ordered if a feeder is to be connected 	001-0610.7	130,00



Description 6. Programming the magnetic fields and the magnetic fields are also as a few sections and the magnetic fields are also as a few sections are al	nachine for c		Part No.	Price in €
		Programming of the machine for customer cables and test with customer material; including 50 samples according to customer specifications.		650,00

Description 7. Operator training (1 Day	y for up to 3 participants)	Part No.	Price in €
Trainir	Training (1 day for up to 3 participants) Operation Programming Creation of customer-specific programmes Maintenance and care Exchange of wear parts	Training	960,00

8. Delivery information			
Standard delivery time			
AM 1000 basic machine		Basic machine & starter kit: 2 weeks when on stock, otherwise approx. 8 weeks	
AM 1000 basic machine combined with	peripherals	Depending on the combination selected, approx. 6-8 weeks	
Delivery terms			
Incoterm 2020, FCA Metzner Maschiner	bau GmbH, Neu-Ulm		
Warranty terms			
Our company observes the warranty pro	visions according to current European Union law.		
Extension of the warranty to 2 years	800-00030	417,00	
Packaging	Part No.	Price in €	
AM 1000 basic machine packaging for road transport Europe	604-05298	240,00	
AM 1000 basic machine packing for sea freight/air freight international	604-05299	583,00	
AM 1000 basic machine + peripheral equipment		Price on request, depending on the type of packaging and shipment	
Dimensions and weights (packed condition)	Dimensions (W x H x D)	Weight	
604-05298	600 x 550 x 800 (23,62"x 21,65"x 31,50 ")	50 (110 lbs) kg for road transport; 70 kg (154,323 lbs)	
604-05299	1440 x 890 x 950 mm (56.7"x 35.1"x 37.4")	for sea transport and air freight	
Customs information			
Origin Germany			
Customs Tariff Number	84 79 81 00		

Specifications and prices are subject to change. All prices are valid until 01.01.2024